PECEIVED

MAY 2 8 2002

TECH CENTER 1600/2900

PTO/SB/08A (10-01)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB

c<u>ontrol number:</u> C mplete if Known

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet of

Application Number	10/039,833
Filing Date	01-04-2002
First Named Inventor	ALARCON et al.
Art Unit	
Examiner Name	
Attorney Docket Number	P-5074

		COLUMN TO SERVICE AND A MARKET MARKET STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET,	U.S. PATI	ENT DOCUMENTS	
Examiner Initials		Document Number Number - Kind Code ² (if known	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
. 8		US- 6197534	03-06-2001	Lackowicz, et al.	
,	l.	US- 6016689	01-25-2000	Bright, et al.	
		US- 2002004217	01-10-2002	Hellinga	
		US- 5910661	06-08-1999	Colvin	
		US- 5894351	04-13-1999	Colvin	
		US- 5650311	07-22-1997	Avnir, et al.	
		US- 5577137	11-19-1996	Churchill, et al.	waterstand to the second of th
		US- 5517313	05-14-1996	Colvin	10 mg samusa ang sang sang sang sang sang sang san
		US- 5200334	04-06-1993	Dunn, et al.	<u></u>
		US- 5300564	12-29-1998	Avnir, et al.	
		US- 5342789	08-30-1994	Chick, et al.	
12	ļ <u>.</u>	us.	projection of the second	***	
-		us-			
A		US- 5165407	11-24-1992	Bindra, et al.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
		US- 5298022	03-29-1994	Bernardi	
		US- 5001054	03-19-1991	Wagner	
		us-	ar areas a respective our respective	والمساد والمساد والمساد والمساد والمساد	[/
		US- 4703756	11-03-1987	Gough, et al.	[
		US- 5445920	08-29-1995	Saito	,
124		us- 6080402	06-27-2000	Reetz et al.	

		FOR	IGN PATENT D	OCUMENTS		
Examiner Initials*	Cite No. ¹	Foreign Patent Document Country Code 3 - Number 4 - Kind Code 5 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T6
0		Country Code 3 Train St. Train Code (In North)		<u> </u>		H
		EP775669B1	05-02-2001	Smith, et al.		
		WO0059370 EP409033-NOTRASLATION	10-12-2000 04 -01-19 92	Lowe, et al.		
صم آ		JP60029657	08-05-1992	DERWENT ABSTRACT		
i '\ i	ĺ	JP2120655	01-26-1998	DERWENT ABSTRACT		[
i) i		JP2248852	12-10-1997	DERWENT ABSTRACT		
i \		JP4215054	03-27-1992	DERWENT ABSTRACT		
1		JP60159643	08-31-1987	DERWENT ABSTRACT	,	
				l		

Date Examiner Signature Considered

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.





MAY 2 8 2002

TECH CENTER 1600/2900

PTO/SB/08A (10-01)

TECH CENTER 1600/2909

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of Sheet

Co	mplete if Known	·
Application Number	10/039,833	
Filing Date	01-04-2002	
First Named Inventor	ALARCON et al.	
Art Unit		
Examiner Name		
Attorney Docket Number	P-5074	

		U.S. PAT	ENT DOCUMENTS	
Examiner Initials	Cite No. 1 Number- Kind Code 2 (if known	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
R	US- 5817493	10-06-1998	Reetz et al.	7
	US- 5200334	04-06-1993	Dunn et al.] \ / / / / / / / / / / / / / / / / / /
	US- 5292801	03-08-1994	Avnir et al.	<u> </u>
	US- 5501836	03-26-1996	Myerson	l\. /
	US- 5824526	10-20-1998	Avnir et al.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	US- 6277627 B1	08-21-2001	Hellinga	
	US- 5342789	08-30-1994	Chick et al.	<u> </u>
	US- 6197534 B1	03-06-2001	Lakowicz et al.] / \
	US-			
	US-	3 , <u>Janes W. Janes I</u>	A de la constantina del constantina de la constantina del constantina de la constant	

	 FORE	IGN PATENT D	OCUMENTS		
Examiner Initials	Foreign Patent Document Country Code 3 - Number 4 - Kind Code 5 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	Т6


Examiner Date Hoxen der Considered Signature

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP Applicant's unique citation designation number (optional). *See kinds Codes of USPTO Patent Documents at www.uspto.gov of MPEP 901.04. *Senter Office that issued the document, by the two-letter code (WIPO Standard ST.3). *For Japanese patent documents, the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. *Applicant is to place a check mark here if English language Translation is attached.







PTO/SB/08B (10-01)

TECH CENTER 1600/2900

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

The Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet of

Col	mplete if Known
Application Number	10/039,833
Filing Date	01-04-2002
	ALARCON et al
Group Art Unit	
Examiner Name	
Attorney Docket Number	P-5074

		OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. ¹	include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), nublisher, city and/or country where published	T ²
q		GERRITSEN, M., KROS, A., SPRAKEL, V., LUTTERMAN, J. A., NOLTE, R. J., and JANSEN, J. A.; Biocompatibility Evaluation of Sol-Gel Coatings for Subcutaneously Implantable Glucose Sensors. Biomaterials 2000, 21, p.71-8	
		GILL, I. and BALLESTEROS, A.; Novel Sol-Gel Matrices for the Immobilization of Enzymes. Ann N Y Acad Sci 1996, 799, p.697-700	
		FLORA, K. K. and BRENNAN, J. D.; Effect of Matrix Aging on the Behavior of Human Serum Albumin Entrapped in a Tetraethyl Orthosilicate-Derived Glass. Chemistry of Materials 2001, 13, p.4170-4179	
Benjaman (See See See See See See See See See Se		BRENNAN, J. D.; Preparation and Entrapment of Fluorescently Labeled Proteins for the Development of Reagentless Optical Biosensors. Journal of Fluorescence 1999, 9, p.295-312	
deligner and the property of t		FLORA, K. K., DABROWSKI, M. A., MUSSON, S. P., and BRENNAN, J. D.; The Effect of Preparation and Aging Conditions on the Internal Environment of Sol-Gel Derived Materials As Probed by 7- Azaindole and Pyranine Fluorescence. Canadian Journal of Chemistry-Revue Canadienne De Chimie 1999, 77, p.1617-1625	
		ZHENG, L. L., FLORA, K., and BRENNAN, J. D.; Improving the Performance of a Sol-Gel-Entrapped Metal-Binding Protein by Maximizing Protein Thermal Stability Before Entrapment. Chemistry of Materials 1998. 10, p.3974-3983	
		FLORA, K. and BRENNAN, J. D.; Fluorometric Detection of Ca2+ Based on an Induced Change in the Conformation of Sol-Gel Entrapped Parvalbumin. Analytical Chemistry 1998, 70, p.4505-4513	
		ZHENG, L. and BRENNAN, J. D.; Measurement of Intrinsic Fluorescence to Probe the Conformational Flexibility and Thermodynamic Stability of a Single Tryptophan Protein Entrapped in a Sol-Gel Derived Glass Matrix. Analyst 1998, 123, p.1735-1744	
		DUNN, B., COX, J., LAN, E., and ZINK, J. I.; Sensors Based on Sol-Gel Encapsulation Methods. Abstracts of Papers of the American Chemical Society 2001, 221, p.473-COLL	
i. , , ,		NARANG, U., PRASAD, P. N., BRIGHT, F. V., RAMANATHAN, K., KUMAR, N. D., MALHOTRA, B. D., KAMALASANAN, M. N., and CHANDRA, S.; Glucose Biosensor Based on a Sol-Gel-Derived Platform. Analytical Chemistry 1994, 66, p.3139-3144	
		BAKER, G. A., JORDAN, J. D., and BRIGHT, F. V.; Effects of Poly(Ethylene Glycol) Doping on the Behavior of Pyrene, Rhodamine 6g, and Acrylodan-Labeled Bovine Serum Albumin Sequestered Within Tetramethylorthosilane-Derived Sol- Gel-Processed Composites. Journal of Sol-Gel Science and Technology 1998, 11, p.43-54	

Date Examiner Considered


^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.









TECH CENTER 1600/2900

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB

Substitute for form 1449B/PTO

humber.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of Sheet

Col	mplet if Known	
Application Number	10/039,833	
Filing Date	01-04-2002	
First Named Inventor	Alarcon et al.	
Group Art Unit		
Examiner Name		
Attorney Docket Number	P-5074	

		OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s) nublisher city and/or country where published	T ²
A		DAVE, B. C., MILLER, J. M., DUNN, B., VALENTINE, J. S., and ZINK, J. I.; Encapsulation of Proteins in Bulk and Thin Film Sol-Gel Matrices. Journal of Sol-Gel Science and Technology 1997, 8, p.629-634	
		ZUSMAN, R.; ROTTMAN, C.; OTTOLENGHI, M.; AVNIR, D. Doped Sol-Gel Glasses As Chemical Sensors. J. Non-Crystalline Solids, (1990), 122, p.107-109	
		AVNIR, D., BRAUN, S., LEV, O., and OTTOLENGHI, M.; Enzymes and Other Proteins Entrapped in Sol-Gel Materials. Chemistry of Materials 1994, 6, p.1605-1614	
		AVNIR, D., BRAUN, S., and OTTOLENGHI, M.; Encapsulation of Organic-Molecules and Enzymes in Sol-Gel Glasses - a Review of Novel Photoactive, Optical, Sensing, and Bioactive Materials. ACS Symposium Series 1992, 499, p.384-404	
		GILL, I. and BALLESTEROS, A.; Encapsulation of Biologicals Within Silicate, Siloxane, and Hybrid Sol-Gel Polymers: an Efficient and Generic Approach. Journal of the American Chemical Society 1998, 120, p.8587-8598	
		FLORA, K. and BRENNAN, J. D.; Comparison of Formats for the Development of Fiber-Optic Biosensors Utilizing Sol-Gel Derived Materials Entrapping Fluorescently-Labelled Protein. Analyst 1999, 124, p.1455-1462	
		ZHENG, L. L., REID, W. R., and BRENNAN, J. D.; Measurement of Fluorescence From Tryptophan to Probe the Environment and Reaction Kinetics Within Protein-Doped Sol-Gel- Derived Glass Monoliths. Analytical Chemistry 1997, 69, p.3940-3949	No. Cont. Brown
		LEV, O., TSIONSKY, M., RABINOVICH, L., GLEZER, V., SAMPATH, S., PANKRATOV, I., and GUN, J.; Organically Modified Sol-Gel Sensors. Analytical Chemistry 1995, 67, p.A22-A30	
	"	SHTELZER, S. and BRAUN, S.; An Optical Biosensor Based Upon Glucose-Oxidase Immobilized in Sol-Gel Silicate Matrix. Biotechnology and Applied Biochemistry 1994, 19, p.293-305	
		BEACH, R. D., VON KUSTER, F., and MOUSSY, F.; Subminiature Implantable Potentiostat and Modified Commercial Telemetry Device for Remote Glucose Monitoring. IEEE Transactions on Instrumentation and Measurement 1999, 48, p.1239-1245	300
		BRAUN, S.; RAPPOPORT, S.; ZUSMAN, R., AVNIR, D.; OTTOLENGHI, M. Biochemically Active Sol-Gel Glasses: The Trapping of Enzymes. Materials Letters (1990) 10, p1-5	

Examiner Date Signature Considered

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



RECEIVED

MAY 2 8 2002

TECH CENTER 1600/2900

TECH CENTER 1600/2900).

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB

Substitute fo	or form 1449B/PTO		Co	mpl te if Known
	RMATION DISCLOSURE FI EMENT BY APPLICANT GI (use as many sheets as necessary) E	Application Number	10/039,833	
INFOR	D MOLLAMS	ISCLOSURE	Filing Date	01-04-2002
CTATEMENT BY ADDITOANT			First Named Inventor	ALARCON et. al.
JIMIL	TIAITTIAI DI	ALL FIGHTS	Group Art Unit	
	(use as many sheet	's as necessary)	Examiner Name	
Sheet		of	Attorney Docket Number	P-5074

	7	OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS	T
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s) publisher, city and/or country where published	7
A		GOWDA, A; et al.; Development of an implantable skin port sensor for use as an in-vivo optical glucose sensing platform. Proc. SPIE Vol. 4263, (2001) p. 11-19, Optical Diagnostics and Sensing of Biological Fluids and Glucose and Cholesterol Monitoring, Alexander V. Priezzhev; Gerard L. Cote; Eds.	
1		O'NEAL, D. et al.; Implantable biosensors: analysis of fluorescent light propagation through skin. Proc. SPIE Vol. 4263, (2001) p. 20-24, Optical Diagnostics and Sensing of Biological Fluids and Glucose and Cholesterol Monitoring, Alexander V. Priezzhev; Gerard L. Cote; Eds.	
•	- 1		
	. 		
	, .		
,			
Examine	r l	Date CILIA	_
Signature		# NAMANON Considered 8/9/45	

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.